



CATALOGUE 2019





**DESIGNED + TESTED
IN AUSTRALIA**



**AIRBAG + ADR
APPROVED**



CONTENTS

009 Low Nudge Bar	04
004-02 Classic Winch Bar	05
007-02 Technical Winch Bar	05
707-01 Single Loop Falcon Winch Bar	06
707-01 Triple Loop Falcon Winch Bar	06
707-02 Falcon Winch Bar	07
808-01 No Loop Phoenix Winch Bar	08
808-01 Single Loop Phoenix Winch Bar	08
808-01 Triple Loop Phoenix Winch Bar.....	09
808-02 Phoenix Winch Bar	10
078-01 No Loop Rocker Winch Bar	11
078-01 Single Low Loop Rocker Winch Bar	11
078-01 Triple Low Loop Rocker Winch Bar	12
078-01 Single Loop Rocker Winch Bar	12
078-02 Triple Loop Rocker Winch Bar	13
004 Tube Series MCA Winch Bar	14
044-01 Drawer Systems	15
022-01 Rocker Rear Bar	16
022-03 Jack Rear Bar	17
022-02 Carrier Rear Bar	17
030-09 Side Steps / Side Rail	18
Outback Armour Suspension Kits & Recovery Gear	19
LED Lighting Solutions	19
Runva Winches	19

Any additional accessories shown on the vehicles are not included.

04

SPECIFICATIONS

- 1.5mm thick high grade 304 stainless steel
- Polished or satin black powder coat finish
- Twin aerial/spot light mounts built in
- Light weight and strong
- Airbag compatible
- ADR69 compliant
- Full vehicle specific bracket kit included
- Parking sensor compatible (single loop unit without bottom cross bar used for vehicles with parking sensors)

Standard model with cross bar



No bottom cross bar - sensor compatible

LOW 009 NUDGE BAR

CLASSIC 004-02 WINCH BAR



TECHNICAL 007-02 WINCH BAR



Alloy option available

SPECIFICATIONS

- Zinc phosphate primer coating finished with a highly durable satin black powder coat
- ADR69 compliant
- Airbag compatible
- 4.5mm thick internal bar mounting flanges with 3.5mm wing bracing plates
- Main frame constructed from 3mm grade 400 stainless steel
- Winch ready from factory (no need to purchase additional items to mount a winch. Rated for up to 12,000lb)*
- LED Park/Indicators included
- Fog lights can be added at a later date to the 004-02. (The Technical 007-02 Bar includes the fog lights)
- Full fitting kit included
- Reinforced dual high-lift jacking points
- Polyurethane over rider protection
- Pre-drilled parking sensor positions with rubber blanking grommets
- Pre-drilled holes for mounting 7" round lights or 28" LED light bar
- Optional extra underbody protection kits available for most models
- Designed to maximise approach and departure angles with high clearance side wings and frontal pan

**Some exclusions apply*



SPECIFICATIONS

- Zinc phosphate primer coating finished with a highly durable satin black powder coat
- ADR69 compliant
- Airbag compatible
- 4.5mm thick internal bar mounting flanges with 3.5mm wing bracing plates
- Main frame constructed from 3mm grade 400 stainless steel
- Winch ready from factory (no need to purchase additional items to mount a winch. Rated for up to 12,000lb)*
- 81mm diameter LED Park/Indicators included
- 140mm diameter recessed halogen fog lights included
- **707-01 Single Loop** model has a 1.5mm thick, 76mm diameter stainless steel center loop
- **707-01 Triple Loop** model has a 1.5mm thick, 76mm diameter stainless steel center loop 51mm diameter outer loops
- Loops can be supplied polished or powder coated black
- Full fitting kit included
- Reinforced dual high-lift jacking points
- Polyurethane over rider protection
- Pre-drilled parking sensor positions with rubber blanking grommets
- Pre-drilled holes for mounting 7" round lights or 28" LED light bar
- Optional extra underbody protection kits available for most models
- Designed to maximise approach and departure angles with high clearance side wings and frontal pan

**Some exclusions apply*

MCC4X4.CO.NZ

FALCON 707-01 SINGLE LOOP WINCH BAR



FALCON 707-01 TRIPLE LOOP WINCH BAR



Alloy option available



FALCON 707-02 WINCH BAR

Alloy option available

SPECIFICATIONS

- Zinc phosphate primer coating finished with a highly durable satin black powder coat
- ADR69 compliant
- Airbag compatible
- 4.5mm thick internal bar mounting flanges with 3.5mm wing bracing plates
- Main frame constructed from 3mm grade 400 stainless steel
- Winch ready from factory (no need to purchase additional items to mount a winch. Rated for up to 12,000lb)*
- 81mm diameter LED Park/Indicators included
- 140mm diameter recessed halogen fog lights included
- 1.5mm thick, 51mm diameter steel tube fully welded one piece for extra strength
 - 2 x Welded on aerial/light mounts
 - Full fitting kit included
- Reinforced dual high-lift jacking points
- Polyurethane over rider protection
- Pre-drilled parking sensor positions with rubber blanking grommets
- Pre-drilled holes for mounting 7" round lights or 28" LED light bar
- Optional extra underbody protection kits available for most models
- Designed to maximise approach and departure angles with high clearance side wings and frontal pan

**Some exclusions apply*

70

SPECIFICATIONS

- Zinc phosphate primer coating finished with a highly durable satin black powder coat
- ADR69 compliant
- Airbag compatible
- 4.5mm thick internal bar mounting flanges with 3.5mm wing bracing plates
- Main frame constructed from 3mm grade 400 stainless steel
- **808-01 Single Loop** model has a 1.5mm thick, 76.2mm diameter stainless steel center loop
- Winch ready from factory (no need to purchase additional items to mount a winch. Rated for up to 12,000lb)*
- LED indicators with LED Daytime Running lights included
- 95mm diameter recessed halogen fog lights included
- Full fitting kit included
- Reinforced dual high-lift jacking points
- Polyurethane over rider protection
- Pre-drilled parking sensor positions with rubber blanking grommets
- Pre-drilled holes for mounting 7" round lights or 28" LED light bar
- Optional extra underbody protection kits available for most models
- Designed to maximise approach and departure angles with high clearance side wings and frontal pan

**Some exclusions apply*

PHOENIX 808-01 NO LOOP WINCH BAR



PHOENIX 808-01 SINGLE LOOP WINCH BAR



PHOENIX 808-01 TRIPLE LOOP WINCH BAR

Alloy option available



PHOENIX 808-02 WINCH BAR

Alloy option available



SPECIFICATIONS

- Zinc phosphate primer coating finished with a highly durable satin black powder coat
- ADR69 compliant
- Airbag compatible
- 4.5mm thick internal bar mounting flanges with 3.5mm wing bracing plates
- Main frame constructed from 3mm grade 400 stainless steel
- **808-01 Triple Loop** model has a 1.5mm thick, 76.2mm diameter stainless steel center
- **808-02** model has a 1.5mm thick, 50.8mm diameter steel tube fully welded one piece for extra strength
- Winch ready from factory (no need to purchase additional items to mount a winch. Rated for up to 12,000lb)*
- LED indicators with LED Daytime Running lights included
- 95mm diameter recessed halogen fog lights included
- Full fitting kit included
- Reinforced dual high-lift jacking points
- Polyurethane over rider protection
- Pre-drilled parking sensor positions with rubber blanking grommets
- Pre-drilled holes for mounting 7" round lights or 28" LED light bar
- Optional extra underbody protection kits available for most models
- Designed to maximise approach and departure angles with high clearance side wings and frontal pan

**Some exclusions apply*



10

SPECIFICATIONS

- Zinc phosphate primer coating finished with a highly durable satin black powder coat
- ADR69 compliant
- Airbag compatible
- 4.5mm thick internal bar mounting flanges with 3.5mm wing bracing plates
- Main frame constructed from 3mm grade 400 stainless steel
- 1.5mm thick, 62mm diameter steel tube fully welded one piece for extra strength
- Large front air pan system and opening grille for easy winch clutch access
- Winch ready from factory (no need to purchase additional items to mount a winch. Rated for up to 12,000lb)*
- LED indicators with LED Daytime Running lights included
- 95mm diameter recessed halogen fog lights included
- Full fitting kit included
- Reinforced dual high-lift jacking points
- Polyurethane over rider protection
- Pre-drilled parking sensor positions with rubber blanking grommets
- Pre-drilled holes for mounting 7" round lights or 28" LED light bar
- Optional extra underbody protection kits available for most models
- Designed to maximise approach and departure angles with high clearance side wings and frontal pan

**Some exclusions apply*

MCC4X4.CO.NZ



PHOENIX 808-02 PREMIUM WINCH BAR

Alloy option available

ROCKER 078-01 **NO LOOP** **WINCH BAR**



ROCKER 078-01 **SINGLE LOW LOOP** **WINCH BAR**



SPECIFICATIONS

- Zinc phosphate primer coating finished with a highly durable sand black powder coat
- ADR69 compliant
- Airbag compatible
- 4.5mm thick internal bar mounting flanges with 3.5mm wing bracing plates
- Main frame constructed from 3mm grade 400 stainless steel
- Winch ready from factory (no need to purchase additional items to mount a winch. Rated for up to 12,000lb)*
- Fully welded 15mm thick twin recovery points integrated into the internal frame for maximum strength
- 81mm diameter LED Park/Indicators included
- 110mm diameter recessed halogen fog lights included
- Full fitting kit included
- Reinforced dual high-lift jacking points
- Polyurethane over rider protection
- Pre-drilled parking sensor positions with rubber blanking grommets
- Pre-drilled holes for mounting lights or antennas
- Optional extra underbody protection kits available for most models
- Designed to maximise approach and departure angles with high clearance side wings and frontal pan.

**Some exclusions apply*



SPECIFICATIONS

- Zinc phosphate primer finished with a highly durable sand black powder coat
- ADR69 compliant
- Airbag compatible
- 4.5mm thick internal bar mounting flanges with 3.5mm wing bracing plates
- Main frame constructed from 3mm grade 400 stainless steel
- Winch ready from factory (no need to purchase additional items to mount a winch. Rated for up to 12,000lb)*
- Fully welded 15mm thick twin recovery points integrated into the internal frame for maximum strength
- **078-01 Single Loop** model has a 1.5mm thick, 60mm diameter welded in center loop
- 81mm diameter LED Park/Indicators included
- 110mm diameter recessed halogen fog lights included
- Full fitting kit included
- Reinforced dual high-lift jacking points
- Polyurethane over rider protection
- Pre-drilled parking sensor positions with rubber blanking grommets
- Pre-drilled holes for mounting lights or antennas
- Optional extra underbody protection kits available for most models
- Designed to maximise approach and departure angles with high clearance side wings and frontal pan

**Some exclusions apply*

MCC4X4.CO.NZ

ROCKER 078-01 TRIPLE LOW LOOP WINCH BAR



ROCKER 078-01 SINGLE LOOP WINCH BAR





ROCKER 078-02

TRIPLE LOOP

WINCH BAR

SPECIFICATIONS

- Zinc phosphate primer coating finished with a highly durable sand black powder coat
- ADR69 compliant
- Airbag compatible
- 4.5mm thick internal bar mounting flanges with 3.5mm wing bracing plates
- Main frame constructed from 3mm grade 400 stainless steel
- Winch ready from factory (no need to purchase additional items to mount a winch. Rated for up to 12,000lb)*
- Fully welded 15mm thick twin recovery points integrated into the internal frame for maximum strength
- 1.5mm thick 60mm diameter centre loop with 52mm diameter outer loops – fully welded in for extra strength
- 2 x Welded on aerial/light mounts
- 81mm diameter LED Park/Indicators included
- 110mm diameter recessed halogen fog lights included
- Full fitting kit included
- Reinforced dual high-lift jacking points
- Polyurethane over rider protection
- Pre-drilled parking sensor positions with rubber blanking grommets
- Pre-drilled holes for mounting 7" round lights or 28" LED light bar
- Optional extra underbody protection kits available for most models
- Designed to maximise approach and departure angles with high clearance side wings and frontal pan

**Some exclusions apply*



14

SPECIFICATIONS

- Zinc phosphate primer coating finished with a highly durable satin black powder coat
- ADR69 compliant
- Airbag compatible
- 4.5mm thick internal bar mounting flanges
- Main frame constructed from 4.5mm grade 400 stainless steel
- Winch ready from factory (no need to purchase additional items to mount a winch. Rated for up to 12,000lb)*
- Modular design – all parts can be unbolted from the main frame
- 4 x Welded on aerial/light mounts on main loop
- Pre-drilled holes on main frame for mounting aeriels/lights
- Multiple welded on brackets on inner side wings for mounting lights
- Full fitting kit included
- Reinforced dual high-lift jacking points
- Designed to maximise approach and departure angles with high clearance side wings and frontal pan
- Tough off road design

**Some exclusions apply*

MCC4X4.CO.NZ



MCA 004 TUBE SERIES WINCH BAR

DRAWER SYSTEM 044-01



SPECIFICATIONS

- 1.5mm thick galvanised steel construction
- Stainless steel handles with slam latch locking system
- Fully lockable – keys included
- Over 80 bearings used on every Drawer System
- Marine grade UV stable carpet – on top and inside the drawers
- Made vehicle specific for a perfect fit
- Access side storage compartments over wheel arches with easy lift up covers
- Optional Fridge Slide available
- Carry up to 50kg per drawer and 120kg on top



078-01SQ
ROCKER
WINCH BAR



16

SPECIFICATIONS

- Zinc phosphate primer coating finished with a highly durable sand black powder coat
- Designed and tested in Australia
- ADR62/02 compliant
- ADR approved integrated tow bar – meets or exceeds vehicle manufacturer tow ratings
- Bar constructed of 3mm thick steel, 3 pieces fully welded together for superior strength
- Anti Slip silver checker plate top step
- Built in high lift jack point
- Laser Cut trailer plug mount
- Fully welded 12mm thick twin recovery points with heavy duty polyurethane covers
- LED number plate lights, reverse and indicator lights all included as standard
- Tow ball and removable hitch all included as standard
- Pre-drilled parking sensor positions with rubber blanking grommets
- Optional tow bar wiring loom available for most models

This model Rear Bar is only available for utes



ROCKER 022-01

REAR BAR

JACK 022-03 REAR BAR



SPECIFICATIONS

- Zinc phosphate primer coating finished with a highly durable satin black powder coat
- Designed and tested in Australia
- ADR62/02 compliant
- ADR approved integrated tow bar - meets or exceeds vehicle manufacturer tow ratings
- Bar constructed of 4.5mm thick steel, 3 pieces fully welded together for superior strength
- Heavy duty 2mm thick 60mm diameter shoulder tubes
- Built in high lift jack point
- Laser Cut trailer plug mount
- Fully welded 12mm thick twin recovery points with heavy duty polyurethane covers
- LED number plate lights
- Tow ball and removable hitch all included as standard
- Pre-drilled parking sensor positions with rubber blanking grommets
- Winch integrated model available
- Optional tow bar wiring loom available for most models

This model Rear Bar is only available for utes

CARRIER 022-02 REAR BAR



SPECIFICATIONS

- Zinc phosphate primer coating finished with a highly durable satin black powder coat
- Designed and tested in Australia
- ADR62/02 compliant
- Bar constructed of 4.5mm thick steel, 3 pieces fully welded together for superior strength with 6-8mm thick internal mounting brackets
- Pre-drilled parking sensor positions with rubber blanking grommets
- User friendly stainless steel latches with self-locking pins to hold the arms in place
- 30mm diameter steel stub axles with 38mm fully welded base (Can supply bar with no carrier arms or stub axles)
- Front and side high lift jacking points
- LED number plate lights, reverse, stop and indicator lights all included as standard
- ADR approved integrated tow bar for utes which meets or exceeds vehicle manufacturer tow ratings
- Integrates with your SUV's existing tow bar (some exclusions)
- Optional tow bar wiring loom available for most models

This model Rear Bar is available for utes and SUV's

Carrier Arm Options:

1. Single Wheel Arm OR Dual Wheel Arms
2. Single Wheel and Single Jerry Can Holder Arm
3. Single Wheel and Double Jerry Can Holder Arm





HEAVY DUTY 030-09 SIDE STEPS

- Zinc phosphate primer coating finished with a highly durable satin or sand black powder coat
- ADR69 and ADR72 compliant
- Airbag compatible
- 2mm thick 51mm diameter tube
- Twin tube design with fully gusseted chassis mounting brackets
- Anti-slip silver checker plate step
- Removable end caps to allow for Side Rail integration



HEAVY DUTY 030-09 PREMIUM TWIST SIDE STEPS

- Zinc phosphate primer finished with a highly durable satin or sand black powder coat
- Unique twist tube design
- ADR69 and ADR72 compliant
- Airbag compatible
- 2mm thick 51mm diameter tube
- Twin tube design with fully gusseted chassis mounting brackets
- Anti-slip checker plate step colour matched to the tube
- Removable end caps to allow for Side Rail integration



HEAVY DUTY 030-09 SR SIDE RAILS

- Zinc phosphate primer coating finished with a highly durable satin or sand black powder coat
- ADR69 and ADR72 compliant
- Airbag compatible (We supply a swivel kit with the Rails)
- 2mm thick 51mm diameter tube
- Integrates with the Standard and Premium Series Steps
- Compatible with all MCC4X4 Winch Bars and the majority of other brands

OUTBACK ARMOUR SUSPENSION LIFT KITS

Full range of 4X4
suspension lift kits.



**OUTBACK
ARMOUR**

LED LIGHTING SOLUTIONS

Large selection of
LED lighting.



OUTBACK ARMOUR RECOVERY GEAR

From straps to full kits.



RUNVA PERFORMANCE WINCHES

Full range of Runva Recovery Winches.



Runva
Performance Winches



MCC4X4 ACCESSORIES

09 215 2235 | INFO@MCC4X4.CO.NZ

MCC4X4.CO.NZ